

TUV NORD
CE

AXIAL VENTILATOR

Trusted Brands
Of The World

- **1270**
Grill Fan Type
- **760**
Fan Type
- **660**
Fan Type




alfan
www.al-fan.com

AXIAL VENTILATOR

1270/760/660 Fan Type

Yüksek dayanım gücüne sahip magnelis kaplı, büyükbaş hayvan çiftliklerine özel olarak tasarlanmış havalandırma fanları pratik aparatlar ile çatı konstrüksiyonuna ve askı sistemine kolaylıkla monte edilebilmektedir.

1270, 760 ve 660 Tiplerinde üretilen fanlarımız bulunduğu alandaki kirli hava, sıcak hava ve kötü kokuları özel tasarımları sayesinde ortamdan uzaklaştırmakta daima temiz, rutubetsiz, bir ortam meydana getirerek hayvanlardaki verimin artışına önemli bir katkı sunmaktadır.

GALVANİZ VE MAGNELİS ARASINDAKİ FARKLAR;

*Galvaniz çelik; Sacın, sadece çinko kaplaması ile oluşur.

*Magnelis ile alüminyum; magnezyum ve çinko karışımından oluşan kaplamadır.

*Magnelis daha hafif ve uzun ömürlüdür.

*Magnelis korozyona karşı galvanize göre aynı oranda kaplamaya, on kat daha fazla direnç gösterir.

*Magnelis sac için korozyon direnci sayesinde metal üzerindeki kaplama uygulama kalınlığı düşeceği için daha pürüzsüz ve homojen bir yapı sunacaktır.

Sorulduğunda referans listesi sunulacaktır.

The ventilation fans are manufactured from magnelis which has superior resistance and designed specially for cattle farms. Through practical apparatus it is mounted to the roof construction and hanger system easily.

Types of fans : 50" 1270 type , 30" 760 type , 26" 660 type

Areas of usage:

Ventilation ,cooling , clear away the gas,smoke dust and odour from the all closed areas such as poultry farms,cattle farms, workshops, greenhouses and similar places.

Advantages of the Magnelis:

Galvanized steel is formed with only the zinc coating of the sheet.

Magnelis is lighter and longer lasting than galvanize.

Magnelis performs up to ten times better than galvanized steel.

Thanks to its 3% magnesium content, Magnelis offers self healing on cut edges and superior corrosion resistance in chloride and ammonia atmospheres.


This high corrosion resistance means that less metallic coating is required (weight reduction), which facilitates processing steps such as welding.

The zinc rich metallic coating composition permits all the conventional processing operations possible with standard hot dip galvanized steel: bending, drawing, clinching, profiling, stamping, welding etc.

The friction coefficient of Magnelis coated steel is lower than the one of standard hot dip galvanized steel and stable during forming operations.

References will be provided upon request.


1270 TYPE



560 TYPE




760 TYPE



1270 TYPE

1270/760/660
Type Fans
For Cattle

Teknik özellikler
**Technical
Specification**



| Product Type | FAN MODEL | | | Weight (Kg) | Blades Material | Motor Power (Hp) | AIR FLOW m ³ / h - PA | | | | |
|------------------------------|-------------|--------------|-----------------|-------------|----------------------|------------------|----------------------------------|-------|-------|-------|-------|
| | Product Nr. | Product Code | Blades Diameter | | | | 0 PA | 10 PA | 20 PA | 30 PA | 40 PA |
| 1270 Grill to Grill Fan Type | 13 | F1A1 | 50" | 68 | Aluminium | 1,5 | 42980 | 40890 | 38380 | 35975 | 33530 |
| | 14 | F1S1 | 50" | 71 | Stainless Steel-Iron | 1,5 | 41970 | 39760 | 37670 | 35350 | 32830 |
| | 15 | F1G1 | 50" | 71 | Galvanized | 1,5 | 41970 | 39760 | 37670 | 35350 | 32830 |
| | 16 | F1A2 | 50" | 67,5 | Aluminium | 1.0 | 38390 | 35650 | 32880 | 29620 | 26590 |
| | 17 | F1S2 | 50" | 69 | Stainless Steel-Iron | 1.0 | 37450 | 34870 | 32150 | 29360 | 25950 |
| | 18 | F1G2 | 50" | 69 | Galvanized | 1.0 | 37450 | 34870 | 32150 | 29360 | 25950 |
| 760 Grill to Grill Fan Type | 38 | F2S3 | 30" | 45 | Stainless Steel-Iron | 0,5 | 16000 | 15000 | 13500 | 11500 | 10000 |
| | 39 | F2G3 | 30" | 45 | Galvanized | 0,5 | 16000 | 15000 | 13500 | 11500 | 10000 |
| 660 Grill to Grill Fan Type | 44 | F3S4 | 26" | 28 | Stainless Steel-Iron | 0,34 | 12500 | 11500 | 10500 | 9500 | 8500 |
| | 45 | F3G4 | 26" | 28 | Galvanized | 0,34 | 12500 | 11500 | 10500 | 9500 | 8500 |



1270/760/660 Type Fans

For Cattle



ALTUNTAŞ
GRUP



E-90 Karayolu Adana İstikameti 18.Km. P.K. 59 68100 / AKSARAY / TÜRKİYE

Tel: +90 382 266 24 50 - (Pbx) | Fax: +90 382 266 21 30

www.al-fan.com - info@alfan.com